

Classico

ELECTRICAL APPLIANCES

Electric Fans
Washing Machine
Electric Iron
Ventilating Fans
Electric Insect Killer
Scales



Model:SP25KG-60KG

Model	SP/SPS/SPY/NS
CAPACITY	GTADUATION
25kg	100g
30kg	100g
50kg	200g
60kg	200g
25kg/55lb	100kg/40z
30kg/66lb	100kg/40z
50kg/110lb	200kg/80z
60kg/132lb	200kg/80z



Model:SP100KG

Model	SP
CAPACITY	GTADUATION
100kg	200g
100kg/220lb	200g/80z



Model:SPR-20KG

Model	SPR
CAPACITY	GTADUATION
5kg	20g
10kg	50g
12kg	50g
15kg	50g
20kg	100g
5kg/11lb	20g/10z
9kg/20lb	50g/10z
10kg/22lb	50g/10z
12kg/26lb	50g/20z
15kg/33lb	50g/20z
20kg/44lb	50g/20z
10kg/16.5cts	50g/2 tael
7.5cts/10lb	1tael/1oz
15cts/20lb	1tael/1oz
20cts/26lb	1tael/1oz
33cts/44lb	2tael/20oz

Electrical Appliances



Model:EB9003-31p
Size:302x302x40mm



Model:EB9003-21
Size:302x302x40mm

SPECIFICATION
6mm tempered glass platform
Capacity:150kg(330lb)
Division:100g(0.2lb)
0.8"(21mm)LCD digits
Auto on
Power:1x3V lithium cell (CR2032)



Model:EF538-35P
Size:317x312x480mm



Model:EF538-31p
Size:317x312x480mm



150kg
(330lb/24 stone)



100g(0.20lb)



Body fat



Body hydration



8 users



Tap-on



96x53.5mm
(EF538)



76x38mm
(EF511BW)



1PC (Excluded)



Indicators

ELECTRONIC COMPUTING SCALE

Model	BCP
CAPACITY	GTADUATION
30kg	10g
15kg	5kg
6kg	2kg
3kg	1kg



Model:BCP

- DISPLAY TYPE:Two sides display,0.5"LED digits
- OPERATION TEMPERATURE:0°C~+40°C
- POWER SUPPLY:3.2AH zine-calcium battery or 220V AC
- SIZE OF THE PLATFORM:230X340mm
- DIMENSIONS:355X333X110mm

Classico

ELECTRICAL APPLIANCES

Electric Fans
Washing Machine
Electric Iron
Ventilating Fans
Electric Insect Killer
Scales



Model: XPB60-1585

Features:

- New European style control with high backrest design, easy to access to control
- Non-corrosive plastic body
- New combined case, small unit, large capacity
- Multi-pulsators to secure hand washing effects
- Transparent view point
- * The cabinet color can be changed if one order for a model exceeds 1000pcs.



Model: XQB60-6788

Features:

- Transparent cover of latest design
- Plastic cabinet rust proof
- Stainless steel inner tub
- Dynamic soak wash
- Quick wash
- 24hour's preset
- 8 water level selections
- Up drainage option
- Newly designed pulsators functioning as hands
- 8 wash cycles
- Self-cleaning tub
- Baby lockout
- Waterfall option
- The cabinet color can be changed if one order for a model exceeds 1000 pcs



Model: SG5078

Full Function Steam Iron/SG-5078

Features:

1. Dry/Spray/Variable Steam Iron/Powerful Burst of Steam/Vertical Steam/Self-Cleaning
2. Temperature Adjustable Knob, Indicator Light
3. Non-Stick, Stainless Steel, Ceramic or Enamel Soleplate
4. 1200-2200W AC220-240V/100-127V 50/60Hz
5. Anti-Calc: Optional
6. Auto-Shut-Off: Optional
7. Anti-Drip: Optional

Model	Qty/ctn	Meas.Giftbox	Meas.Carton	G.W.(kg)/ctn	N.W.(kg)/ctn	20' container	40' container	40'HQ
SG-5078	10pcs	29x12.2x14.4cm	62x30x31.5cm	12	10	4610pcs	9230pcs	



Model: SG5028

Steam Iron/SG-5028

Features:

1. Dry/Spray/Variable Steam/Powerful Burst of Steam/Vertical Steam Iron
2. Temperature Adjustable Knob, Indicator Light
3. Non-Stick, Stainless Steel Soleplate, Ceramic or Enamel Soleplate
4. 1200-2200W AC220-240V/100-127V 50/60Hz
5. Anti-Calc: Optional
6. Auto-Shut-Off: Optional

Model	Qty/ctn	Meas.Giftbox	Meas.Carton	G.W.(kg)/ctn	N.W.(kg)/ctn	20' container	40' container	40'HQ
SG-5988A	10pcs	28.7x11.8x15.7cm	62x30x33cm	12	10	4610pcs	9290pcs	10600pcs
SG-5988B	10pcs	28.7x11.8x15.7cm	62x30x33cm	12	10	4610pcs	9290pcs	10600pcs
SG-5028	10pcs	31.3x12.5x46.5cm	65x32x35cm	14	13	4000pcs	8000pcs	10600pcs



Model: SG5001

Full Function Steam Iron/SG-5001

Features:

1. Dry/Spray/Variable Steam/Powerful Burst of Steam/Vertical Steam/Self-Cleaning
2. Temperature Adjustable Knob, Indicator Light
3. Non-Stick, Stainless Steel, Ceramic or Enamel Soleplate
4. Water Tank Capacity: 350ml
5. Steam Rate: 15-25g/min
6. Burst of Steam Rate: 0.5g/time
7. 1200-2200W AC220-240V/100-127V 50/60Hz
8. Auto-Shut-Off: Optional
9. Anti-Drip: Optional
10. Anti-Calc: Optional

Model	Qty/ctn	Meas.ofGiftbox	Meas.of Ctn	G.W.(kg)	N.W.(kg)	Qty./20'FCL	Qty./40'FCL	Qty./40'HQ
SG-5001	10pcs	31.3x12.5x16.5cm	65x32.5x35cm	14	13	3950pcs	8100pcs	9200pcs
SG-5001C	10pcs	34.6x12.4x15.4cm	64.5x35.6x32.8cm	16	15	3900pcs	7800pcs	8720pcs

Classico

ELECTRICAL APPLIANCES

Electric Fans
Washing Machine
Electric Iron
Ventilating Fans
Electric Insect Killer
Scales



Model: GB-UNIQUE DESIGN(16W,20W,30W,40W)

	Killing grid voltage	Power of tube	Coverage (sq.meters)	Unit dimensions
GB-12W	1800V-3000V	2 x 6W	30	27.5x11.5x27cm
GB-16W	1800V-3000V	2 x 8W	40	34.7x11.5x27cm
GB-20W	1800V-3000V	2 x 10W	60	39.2x11.5x31.5cm
GB-30W	1800V-3000V	2 x 15W	100	49.7x11.5x31.5cm
GB-40W	1800V-3000V	2 x 20W	60	64.4x11.5x36.5cm
GB-60W	1800V-3000V	3 x 20W	80	64.4x11.5x36.5cm
GB-1x15W	1800V-3000V	1 x 15W	30	49.5x11.5x27cm
GB-1x20W	1800V-3000V	1 x 20W	60	64.5x11.5x27cm



Model:GB1 (12W,16W,20W,30W,40W,60W)

	Killing grid voltage	Power of tube	Coverage (sq.meters)	Unit dimensions
GB1-12W	1800V-3000V	2 x 6W	30	27.5x9.5x26.6cm
GB1-16W	1800V-3000V	2 x 8W	40	34.7x9.5x26.6cm
GB1-20W	1800V-3000V	2 x 10W	60	39.5x9.5x31.2cm
GB1-30W	1800V-3000V	2 x 15W	100	49.7x9.5x31.5cm
GB1-40W	1800V-3000V	2 x 20W	120	64.5x9.5x36.8cm
GB1-60W	1800V-3000V	3 x 20W	160	64.5x9.5x36.8cm
GB1-1x15W	1800V-3000V	1 x 15W	30	49.9x9.5x26.6cm
GB1-1x20W	1800V-3000V	1 x 20W	60	64.5x9.5x26.6cm



Model: GA1(16W,30W,40W)

Features:

- Efficient.
- Insects caught silently and out of sight.
- Safe and modern.
- Well designed shape.
- Discreet wall position.
- Odourless.
- Easy to remove, dispose and replace.
- Steel or stainless steel construction.
- Selectable model No. for different area: GA1-16W, 30W, 40W



Model: GN1 (12W,16W,20W,30W,40W,60W)

Features:

- Full Stainless Steel, Aluminum Alloy or Iron surface material.
- Modern, safe and effective.
- Full protected outer mesh with GS standard makes the unit of high safety.
- Large removable tray for easy cleaning.
- Made for wall mounting, suspending or free standing.
- Selectable model No. for different area: GN1-12W,16W,20W,30W,40W,60W,1x15W,1x20W

Electrical Appliances



Model:GF-4W

Features:

- Stylish contemporary design and new style.
- Fire-resistant construction.
- Easy to clean.
- No medicine-better for your health and enviroment.
- With on/off switch button for easy operating.
- Low energy consumption.
- Selectable colors.
- Unit dimension:27x9x23.5.



Model:GF1-4W

Features:


- Built-in fan for extra suction power.
- Low energy consumption.
- Environmental-friendly & safe.
- Non-toxic.
- Fire-resistant construction.
- Easy to clean.
- Unit dimension: 21x18x7cm 10350pcs/20ft Container



Model: APB20A2 APB25A2 APB 30A2

Names of Parts and Installing Dimensions(mm)

Sized	Model	A	B	C	D	E	F
200	APB20A2	Ø200	295	262	244	60	126
250	APB25A2	Ø250	345	312	294	71	128
300	APB30A2	Ø300	402	370	344	93	135



Technical Parameter

Model	Rating Voltage (V)	Rating Frequency (Hz)	Power (W)	Air Delibery (m ³ /h)		Noise (dB)	
				Exhaust	Intake	Exhaust	Intake
APB20A2 APB25A2 ASB30A2	220	50	28	520	/	42	/
				860		43.5	
				1200		46	
APB20C2 APB25C2 ASB30C2	220	50	28	520	/	42	/
				860		43.5	
				1200		46	
APB20A2 APB25A2 ASB30A2	220	50	28	520	390	42	/
				860	645	43.5	
				1200	900	46	

Classico

ELECTRICAL APPLIANCES

Electric Fans
Washing Machine
Electric Iron
Ventilating Fans
Electric Insect Killer
Scales




Model:FB-40B1



Model:FSLD-40
Fan head 360° rotating
Wind speed: strong, medium, slow
Design for comfort and peace

FB-40A1(16") FSLD-40(16")

MODEL	WATT	PACKING(mm)	G.W.(kg)	N.W.(kg)
FSLD-40	50	470x360x470	7.8	6.2
FB-40B1	55	465x235x465	3.8	2.9



Model:FSTC-40(16")
Wind speed :strong, medium, show
Fan head bending-lifting adjustable
Fan head level shaking
2 hours time selectin

MODEL	WATT	PACKING(mm)	G.W.(kg)	N.W.(kg)
FSTC-40	55	460x180x450	4.4	3.5

Electrical Appliances



Model:FSD-40B (WHITE)



Model:FSD-40B (YELLOW)

Computer programmed control
Wind speed: strong, medium, slow
Wind selection: standard, natural, sleep
Fan head bending-lifting adjustable
Fan head level shaking
Fan head up-down adjustable
7.5 hours time selection

MODEL	WATT	PACKING(mm)	G.W.(kg)	N.W.(kg)
FSD-40B	55	625x220x465	8.3	7.0



Model:FDH-40B(16")

Infrared remote control; Microcomputer programmed control
Wind speed: strong, medium, slow
Common, natural, sleeping wind optional
Ambient temperature display-electron thermometer
Fan head pitch attitude adjustable
Fan head level swing
Three-piece AS transparent fan blade
Fan head up-down adjustable; 8hours timer setting
Blue LCD
Blue LCD and big plated button
Negative ion innovative front grille filter
Negative ions clear the air

MODEL	WATT	PACKING(mm)	G.W.(kg)	N.W.(kg)
FDH-40B	55	1108x170x295	8.8	7.8